

Available from December 2015 / Disponibile da Dicembre 2015

# CometNews

## K 891 TS - K 991 TS PREMIUM PREMIUM





Electrical cold water HP water cleaner  
*Idropulitrici elettriche ad acqua fredda*



# K 891 TS Premium



 180 - 230 bar

 15 - 21 l/min

 9,0 hp








Reversible handlebar for easy handling by pushing

*Manubrio reversibile per movimentazione a spinta*




## GENERAL FEATURES


- Heavy duty structure with stainless steel cover
- Readily serviceable brass suction filter
- Hot water seals
- 4-pole motor (1400 rpm) well oversized and protected with paint
- Delayed TotalStop
- Contactor
- Motor thermal protection
- Professional use

CODE CODICE	MODELS MODELLI	PUMP POMPA										
			Ph	V	Hz	bar	MPa	l/h	HP	kW	kg	(L x W x H) cm
9024 4072	K 891 TS 15/230 T	RW	3	400	50	230	23	900	9,0	7,3	70	90x62x84
9024 4073	K 891 TS 21/180 T	RW	3	400	50	180	18	1260	9,0	7,3	70	90x62x84

# K 991 TS Premium



 210 - 270 bar

 15 - 21 l/min

 10,0 hp








## CARATTERISTICHE GENERALI

- *Struttura robusta ed affidabile con cofano in acciaio inox*
- *Filtro aspirazione in ottone ispezionabile*
- *Guarnizioni ad acqua calda*
- *Motore a 4 poli (1400 rpm) sovradimensionato e protetto da verniciatura*
- *TotalStop temporizzato*
- *Teleruttore*
- *Protezione termica motore*
- *Uso professionale*

Reversible handlebar for easy handling by pushing

*Manubrio reversibile per movimentazione a spinta*



CODE CODICE	MODELS MODELLI	PUMP POMPA										
			Ph	V	Hz	bar	MPa	l/h	HP	kW	kg	(L x W x H) cm
9024 4071	K 991 TS 15/270 T	RW	3	400	50	270	27	900	10,0	8,5	89	115x60x88
9024 4057	K 991 TS 21/210 T	RW	3	400	50	210	21	1260	10,0	8,5	89	115x60x88



GH 351 gun with Swivel (n.2 o-ring)  
*Pistola GH 351 con Swivel (n.2 o-ring)*



Bent lance with detergent head,  
without nozzle  
*Lancia angolata con testina  
detergente, senza ugello*



25° spray nozzle, 1/4" MEG connection  
*Ugello con getto a lama 25° attacco 1/4" MEG*



10 m rubber delivery hose kit  
*Kit tubo gomma mandata 10 m*



Brass inlet water filter  
*Filtro aspirazione acqua in ottone*

# CometNews

COMET SPA › Reggio Emilia › Italy › phone +39 0522 386111 › info@comet.re.it › www.comet-spa.com

Follow us on



COMPANY  
WITH QUALITY SYSTEM  
CERTIFIED BY DNV  
= ISO 9001/2008 =

Scan and get more info



Comet, Italian Excellence